

A powerful, all purpose, natural cleaner/degreaser concentrate.



- FEATURES:**
- Non-Dangerous
 - Non-Hazardous
 - Low Toxicity
 - Low VOC
 - Derived from natural ingredients
 - Water soluble
 - Will not affect pH
 - Does not streak stainless steel & aluminium
 - Fresh citrus smell
 - Food grade

- CONTENTS:**
- A blend of organic solvents blended with surfactants to enable emulsification with water.

Size	Part No.	Size	Part No.
400g Aerosol	CF\PP-0400	5 Litre	CF\0005
750ml Spray	CF\SP-0750	20 Litre	CF\0020
1 Litre	CF\0001	200 Litre	CF\0200
Accessories - Empty Applicator Bottles with label			
750ml Spray	AC\PB-0750CF	1.5L Pump-Up	AC\PS-1500CF

APPLICATIONS:

- Multi-purpose cleaner / degreaser concentrate
- Cleaning of electrical components and the decarbonisation of electric motors and windings
- A quick break degreaser, safe for bicycles
- Removal of waxes, adhesives, glues, lanolin, fats, grease, oils, carbon build up, chewing gum & acrylic paint overspray
- Cleaning of machinery, equipment and plant, showers, toilets sinks, BBQ's, pet stables, amenities, commercial ovens and exhaust canopies (food grade)
- Formulated to remove Lanotec lanolin based products
- Removal of thread dope from drill rods and casing

Caution: Citra-Force affects certain polymers, do not use on rubber or plastics before testing on an inconspicuous area

PHYSICAL PROPERTIES:

- **Appearance:** Clear, orange, mobile liquid with citrus aroma
- **Boiling Point/Range (°C):** >150
- **Flash Point (°C):** >100
- **Specific Gravity (g/ml @ 25°C):** 0.875
- **Demulsibility (mins):** >30

STORAGE & TRANSPORT:

- Citra-Force™ Aerosol is classed as Dangerous Goods for transport and storage (UN 1950; DG 2.1 2YE)
- All other sizes are classed as Non-Dangerous and Non-Hazardous Goods.
- Store out of direct sunlight

For safe handling of this product, please consult the Safety Data Sheet (SDS)

Always read entire label before using product

APPLICATION GUIDE:

Apply to the area to be cleaned. Agitate with a stiff brush or broom for best results. Wipe or wash off with water.

Can be diluted with water.

Machinery and Automotive Degreasing - [Neat - 1:5 parts water]

- Depending on the thickness and age of the build up.
- Remove any large build up by manually scraping where possible before applying Citra-Force.
- Apply Citra-Force directly to the contaminant to be removed, leave between 5 and 15 minutes, and high pressure clean the affected area.

Decarbonising Electrical Rewinds - [Neat - 1:10 parts water]

- For small electrical windings, spray on neat, leave for 15 minutes, and high pressure clean off.
- For large windings where carbon is not visible and embedded in the armature, dilute at 1:10 parts water in suitable tank and immerse motor and aerate for 24 hours. Remove and clean, then check and resubmerge if necessary. Does not affect the varnish, and is non foaming.

General Purpose Cleaning - [1:5 - 1:20 parts water]

- Spray on affected area, wipe clean with a damp cloth.
- Suitable for kitchen counters, floors, walls, bathrooms, range hoods, drains, grease traps and overhead filters in commercial and domestic kitchens.

Adhesive Removal - [Neat]

- Spray Citra-Force neat onto area, allow to stand for 5-10 minutes.
- Rub or scrape until adhesive is removed. Repeat as needed.

Stainless Steel and Aluminium - [Neat - 1:5 parts water]

- Citra-Force is suitable for cleaning as it has a neutral pH.
- Spray on to area requiring cleaning, rinse if required, use clean cloth to dry.

Bitumen removal - [Neat]

- Work on areas of less than 3m² at a time.
- Spray on affected area neat, within 3 minutes work in with stiff bristled broom.
- For best results use a hot high pressure cleaner to remove.

For safe handling of this product, please consult the Safety Data Sheet (SDS)

Always read entire label before using product

APPROVALS:

- AQIS Acceptance of Chemical Compound for use in Export Meat Establishments - Category 3 Cleaner Type C
- NZFSA Approval Cleaner/Degreaser C32
- Halal Certification Authority Australia - Taher Accreditation

LEGAL NOTE:

The information, and the recommendations relating to the application and end use of Lanotec products, are given in good faith based on Lanotec's current knowledge and experience of the products when properly stored, handled and applied under normal conditions, in accordance with Lanotec's recommendations. However due to differences in materials, site conditions or any other factor that could affect performance, Lanotec makes no other warranty, either express or implied, concerning this product. There is no warranty in respect of merchantability. Nor can one be inferred either from this information, or from any written recommendations, or from any other advice offered. Lanotec makes no warranty in regards to the performance of the product, once applied by the user. The purchaser / user assumes all risks associated with application of the product.

The user of the product must test the product's suitability for the intended application and purpose. Lanotec reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request, and can be found on the Lanotec website.

FOR MORE INFORMATION:
Lanotec Australia Pty Ltd
PO Box 360 Archerfield QLD 4108
07 3373 3700
info@lanotec.com.au

For safe handling of this product, please consult the Safety Data Sheet (SDS)